Certificate



of Constancy of Performance

ZERTIFIZIERT

CERTIFIED

In compliance with Regulation 305/2011/EU of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation or CPR), this certificate applies to the construction product

Insulating glass units with requirements for fire resistance

| Product description/ specification | Insulating glass units with "Pyrobelite" or "Pyrobel" |
|---------------------------------------|--|
| | See documentary evidence No. 275 33515 |
| Levels and classes of performance | El 15 / El 20 / El 30 / El 45 / El 60 / El 90 / El 120 / EW 30 / EW 60 Individual classifications: See documentary evidence No. 275 33515, chapter 4.2 |
| Intended use(s) | Intended for use in buildings and other works with requirements for fire resistance in accordance with EN 13501-2: 2007 + A1: 2009. |
| Produced by or for | PRESS GLASS SA Nowa Wies Kopalniana 9, PL 42-262 Poczesna |
| Produced in the manufacturing plant | PRESS GLASS SA ul. Skarszewska 11, PL-83-110 Tczew |
| Notified body No. EC-Reference-No. | 0757 ift Rosenheim |

This certificate attests that all provisions concerning the assessment and verification of constancy of performance and the performances described in Annex ZA of the harmonised standard(s)

EN 1279-5: 2005 + A2: 2010

under system 1 are applied and that the product fulfils (products fulfil) all the prescribed requirements set out above.

This certificate was first issued on 09 December 2014 and will remain valid until 08 December 2017, as long as the test methods and/or factory production control requirements included in the harmonised standard, used to assess the performance of the declared essential characteristics, do not change, and the product, and the manufacturing conditions in the plant are not modified significantly, unless suspended or withdrawn by the product certification body.

The use of this certificate and the marking of the products are bound by an existing certification and surveillance contract with the **ift** Rosenheim no. 692+F 6040271.

Prof. Ulrich Sieberath Director

ift Rosenheim 09 December 2014 * Notifizierte Prüf-Überwachungs- und Zertifizierungsstelle Püz

Christian Where

Christian Kehrer Head of notified product certification body



