

Certificate of Constancy of Performance



Certificate No: 0757-CPR-692F-8012962-1-2

In compliance with Regulation (EU) No 305/2011 of the European Parliament and of the Council of 9 March 2011 (the Construction products Regulation or CPR), this certificate applies to the construction product

Basis:
EN 1279-5 : 2005 + A2 : 2010

Insulating glass units with requirements for fire resistance



Product description/
specification

Insulating glasses with "Pyrobelite" or "Pyrobel" and counter-pane see annex 1

See documentary evidence no. 12-000224-PR01

Levels and classes of
performance

Requirements fulfilled

Intended use(s)

Intended for use in buildings and other works
with requirements for fire resistance in accordance with
EN 13501-2 : 2007 + A1 : 2009

placed on the market
under the name or trade
mark of

PRESS GLASS SA Nowa Wies

Kopalniana 9, PL-42-262 Poczesna

and produced in the
manufacturing plant(s)

PRESS GLASS SA Division in Radomsko

ul. Geodetów 4, PL-97-500 Radomsko

Notified body No.
EC-Reference-No.

0757

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the standard(s)

EN 1279-5 : 2005 + A2 : 2010

under system 1 for the performance set out in this certificate are applied and that the factory production control conducted by the manufacturer is assessed to ensure the **constancy of performance of the construction product**.

This certificate was first issued on 12. Januar 2016 and will remain valid until 11. Januar 2022, as long as neither the harmonised standard, the construction product, the AVCP methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the notified product certification body.


The use of this certificate and the marking of the products are bound by an existing certification and surveillance contract with the **ift** Rosenheim no. 692F 6040271.


Prof. Ulrich Seberath
Director
ift Rosenheim
12.01.2019



ift Rosenheim
Notifizierte Prüf-,
Überwachungs- und
Zertifizierungsstelle
PÜZ
EG-Referenz-Nr. 0757


Christian Kehr
Head of notified product certification body



www.ec.europa.eu



www.ift-rosenheim.de

2018-01 / 1075

Certificate of Constancy of Performance



Certificate No: 0757-CPR-692F-6029391-1-3

Composition of multi-pane insulating glass with fire resistance requirements according to EN 1279-5 : 2005 + A2 : 2010

Type	Classification report	Classification
Pyrobelite	12-000224-PR01 dated 04.07.2017	EI 20 / EW 30 / EW 60
Pyrobel	12-000224-PR01 dated 04.07.2017	EI 15 / EI 30 / EI 45 / EI 60 / EI 90 / EI 120 / EW 30 / EW 60 / REI 30 / REI 45 / RE 60