



中国国家强制性产品认证证书

证书编号：2014011302722596

委托人名称、地址

PRESS GLASS SA

NOWA WIES, KOPALNIANA 9, 42-262 POCZESNA, POLAND

生产者（制造商）名称、地址

PRESS GLASS SA

NOWA WIES, KOPALNIANA 9, 42-262 POCZESNA, POLAND

生产企业名称、地址

PRESS GLASS SA

GEODETOW 4, 97-500 RADOMSKO, POLAND

产品名称和系列、规格、型号

建筑用钢化玻璃

公称厚度 D≤6mm（详见附录）

产品标准和技术要求

GB15763.2-2005

上述产品符合强制性产品认证实施规则 CNCA-C13-01:2014 的要求，特发此证。

发证日期：2019 年 09 月 12 日 有效期至：2024 年 09 月 12 日

证书有效期内本证书的有效性依据发证机构的定期监督获得保持。

本证书为变更证书，证书首次颁发日期：2014 年 10 月 31 日

本证书的相关信息可通过国家认监委网站 www.cnca.gov.cn 查询



主任：

陆楠



中国质量认证中心



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO.: 2014011302722596

NAME AND ADDRESS OF THE APPLICANT

PRESS GLASS SA
NOWA WIES,KOPALNIANA 9,42-262 POCZESNA,POLAND

NAME AND ADDRESS OF THE MANUFACTURER

PRESS GLASS SA
NOWA WIES,KOPALNIANA 9,42-262 POCZESNA,POLAND

NAME AND ADDRESS OF THE FACTORY

PRESS GLASS SA
GEODETOW 4,97-500 RADOMSKO,POLAND

PRODUCT NAME, MODEL AND SPECIFICATION

Architectual Tempered Glass
Nominal thickness $D \leq 6\text{mm}$ (To see appendix)

THE STANDARDS AND TECHNICAL REQUIREMENTS FOR THE PRODUCTS

GB15763.2-2005

This is to certify that the above mentioned product(s) complies with the requirements of implementation rules for compulsory certification(REFNO.CNCA-C13-01:2014).

Valid from: Sep.12,2019

Valid until: Sep.12,2024

The validity of the certificate is subject to positive result of the regular follow up inspection by issuing certification body until the expiry date.

Date of original issued: Oct.31,2014

The certificate information is available through CNCA's website: www.cnca.gov.cn



President:

Lu Mei



CHINA QUALITY CERTIFICATION CENTRE



中国国家强制性产品认证证书

附 录

第 1 页 共 1 页

证书编号: 2014011302722596

建筑用钢化玻璃
Architectural Tempered Glass

(玻璃公称厚度 $D \leq 6\text{mm}$)
Nominal Thickness $D \leq 6\text{mm}$

下述参数范围内的产品颜色可包括: 无色或各类本体着色。

The color of product which character list below may include: clean or various tinted glass

厚度(mm) Thickness(mm)	最大展开面积(m ²) Maximum Developed Area (m ²)	最大拱高 (mm) Maximum Height of segment (mm)	最小邻边夹角 (°) Minimum angle between two adjacent sides(°)
4	5.94	0	90
5	5.94	0	90
6	5.94	0	90

注: 此附录与证书同时使用时有效。

NOTE: This appendix forms a part of the certificate for china compulsory product certification, and must be used together with the certification.



主 任: 陆 楠



中国质量认证中心