PRESS**GLASS**

LEADING IN EUROPE

# STANDARD PATTERNS OF SILK-SCREEN PRINTING

PATTERNS

### CG - 1 COVERAGE - 50%

| 20 mm | 40 mm | 20 mm |

CG - 2 COVERAGE - 75%

15 mm
20 mm
5 mm

CG - 3 COVERAGE - 78%

2 mm
7 mm
9 mm

CG - 4 COVERAGE - 25%

| 15 mm | 15 mm | 30 mm |

CG - 5 COVERAGE - 59%

| 3 mm | 10 mm | 13 mm |

CG - 6 COVERAGE - 10%

| 5 mm | 11 mm | 16 mm |

REMARKS

- colours shown comprise the basic colour palette - other colours are available upon request

- due to differences in settings of web browsers and printers, colours and sizes of elements in presented patterns can differ from prints on products

- for completion dates and other colour options consult Sales Department

- for dimensions of glass panes with standard screen printing patterns consult Sales Department

- colours of prints may slightly vary from RAL palette

PRESSGLASS

CG - 7 COVERAGE - 45%

2,5 mm
0,5 mm
3 mm

CG - 8 COVERAGE - 56%

2 mm 11 mm 13 mm

CG - 9 COVERAGE - 23%

6 mm 7 mm 13 mm

CG - 10 COVERAGE - 20%

2 mm
2 mm 4 mm

CG - 11 COVERAGE - 55%

5 mm
1 mm 6 mm

ANTI-SLIP SILK-SCREEN PRINTING PATTERNS

DOTS - COVERAGE - 50%
Class A, Class B, Class R11

4 mm
1 mm
4 mm 1 mm

STRIPES - COVERAGE - 50%
Class R11

15 mm 15 mm 30 mm

FINE ROUGH COATED - COVERAGE - 100%
Class B, Class R12

COLOURS

Standard silk-screen printing patterns can be made in any colour from the RAL palette and in "etching imitation" colour.

Anti-slip silk-screen printing patterns are made in the following colours:
- blue grey RAL 7031,
- etching imitation.

white RAL 9010 or 9016

etching imitation

sulfur yellow RAL 1016

lemon yellow RAL 1012

oxide red RAL 3009

green RAL 6024

turquoise blue RAL 5021

blue RAL 5005

black RAL 9004 or 9005

brown beige RAL 1011

blue grey RAL 7031

agate grey RAL 7038

brown RAL 8004

chocolate brown RAL 8017

PRESSGLASS

We constantly modify our manufacturing processes and change habits to limit the negative effect on the environment. In order to facilitate the changes, we have adopted ISO 14001, the worldwide management system for environmental protection.

We kindly request you to minimize the negative effect of this leaflet on the environment by using it multiple times. Please recycle the used leaflet, using the waste sorting method. Thanks to that, the materials can be used again.

Paper has always been and will always be a vital aspect of project and marketing activities. The selection of paper produced in accordance with sustainable development and environmental protection (FSC certificates) and/or recycled paper is becoming a key issue.

Our plants and products are audited or certified by acknowledged certification bodies, including:

BCCA, BSI, CQC, ICiMB, IFT, IGMA, KIWA, RISE, UKAS and WarringtonFire.

We make every effort to ensure that presented publication contained current information as of the date of print.
Due to the continuous development of our product range may differ from market to market. Product's availability should always be confirmed with Sales Department.

PRESSGLASS

www.pressglass.com