

Certificate of Constancy of Performance



Certificate No.: 0757-CPR-692F-6040271-1-3

In compliance with Regulation (EU) No 305/2011 of the European Parliament and of the Council of 9 March 2011 (the Construction products Regulation or CPR), this certificate applies to the construction product

Basis:

EN 1279-5:2018-07

Insulating glass units with requirements for fire resistance



Product description/ specification	Insulating glasses with "Pyrobelite" or "Pyrobel" counter-pane see annex 1 See documentary evidence no. 12-000224-PR01
Levels and classes of performance	Requirements fulfilled
Intended use(s)	Intended for use in buildings and other works with requirements for fire resistance in accordance with EN 13501-2:2016
placed on the market under the name or trade mark of	PRESS GLASS SA ul. Golfowa 19, PL-42-274 Konopiska
and produced in the manufacturing plant(s)	PRESS GLASS SA ul. Geodetów 4, PL-97-500 Radomsko
Notified body No. EC-Reference-No.	0757

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the standard(s)


EN 1279-5 : 2018-07

under system 1 for the performance set out in this certificate are applied and that the factory production control conducted by the manufacturer is assessed to ensure the **constancy of performance of the construction product.**

This certificate was first issued on 12.01.2016 and will remain valid until 11.01.2025, as long as neither the harmonised standard, the construction product, the AVCP methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the notified product certification body.

The use of this certificate and the marking of the products are bound by an existing certification and surveillance contract with the notified body ift Rosenheim no. 692F 6040271.


Christian Kehn
Head of notified product certification body
ift Rosenheim
12.01.2022



www.ec.europa.eu

Identity check



www.ift-rosenheim.de/ift-zertifiziert
ID: B83-C32B5

Certificate of Constancy of Performance



Certificate No.: 0757-CPR-692F-6040271-1-3

Composition of multi-pane insulating glass with fire resistance requirements
according to EN 1279-5 : 2005 + A2 : 2010

Type	Classification report	Classification
Pyrobelite	12-000224-PR01 dated 04.07.2017	EI 20 / EW 30 / EW 60
Pyrobel	12-000224-PR01 dated 04.07.2017	EI 15 / EI 30 / EI 45 / EI 60 / EI 90 / EI 120 / EW 30 / EW 60 / REI 30 / REI 45 / RE 60

Ve-Zer-5135-en / 01.11.2021